












Panelworks

PRODUCT CATALOG










2024

TABLE OF CONTENTS




SCALLOPED

	1" Scalloped	10-1600	
	1.5" Scalloped	10-2400	
	2" Scalloped	10-3200	
	2.5" Scalloped	10-4000	
	3" Scalloped	10-4800	


SCALLOPED WITH RIDGE

	1" Scalloped with 1/8" Ridge	10-1602	
	1" Scalloped with 1/8" Ridge	10-2402	
	1" Scalloped with 1/8" Ridge	10-3202	
	1" Scalloped with 1/8" Ridge	10-4002	
	1" Scalloped with 1/8" Ridge	10-4802	




REEDED

	3/4" Reed	20-1200	
	1" Reed	20-1600	
	1.25" Reed	20-2000	





REEDED WITH FLAT

	1/2" Reed with 1/4" Flat	20-0804	
	3/4" Reed with 1/4" Flat	20-1204	





GROOVED

	3/8" Groove with 3/8" Ridge	33-0606	
	1/2" Groove with 1/2" Ridge	33-0808	
	3/4" Groove with 3/4" Ridge	33-1212	

V-GROOVE 90 DEGREE

	V Groove 90, 1/2" Groove, 3" to Center	43-0840	
	V Groove 90, 1/2" Groove, 5" to Center	43-0872	
	V Groove 90, 1" Groove, 3" to Center	43-1632	
	V Groove 90, 1" Groove, 5" to Center	43-1664	

V-GROOVE 120 DEGREE



	V Groove 120, 1" Groove, 3" to Center	45-1632	
	V Groove 120, 1" Groove, 5" to Center	45-1664	
	V Groove 120, 2" Groove, 3" to Center	45-3216	
	V Groove 120, 2" Groove, 5" to Center	45-3248	



SCALLOPED PANELS


www.panelworks.co

1" SCALLOP




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	10-1600-448-U
Unprimed	1/2"	Vertical	48"	117.5"	10-1600-441-U
Unprimed	1/2"	Horizontal	94"	48"	10-1600-484-U
Unprimed	1/2"	Horizontal	117"	48"	10-1600-414-U
Unprimed	3/4"	Vertical	48"	94.5"	10-1600-648-U
Unprimed	3/4"	Vertical	48"	117.5"	10-1600-641-U
Unprimed	3/4"	Horizontal	94"	48"	10-1600-684-U
Unprimed	3/4"	Horizontal	117"	48"	10-1600-614-U
Primed	1/2"	Vertical	48"	94.5"	10-1600-448-P
Primed	1/2"	Vertical	48"	117.5"	10-1600-441-P
Primed	1/2"	Horizontal	94"	48"	10-1600-484-P
Primed	1/2"	Horizontal	117"	48"	10-1600-414-P
Primed	3/4"	Vertical	48"	94.5"	10-1600-648-P
Primed	3/4"	Vertical	48"	117.5"	10-1600-641-P
Primed	3/4"	Horizontal	94"	48"	10-1600-684-P
Primed	3/4"	Horizontal	117"	48"	10-1600-614-P

1.5" SCALLOP




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	10-2400-448-U
Unprimed	1/2"	Vertical	48"	117.5"	10-2400-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	10-2400-484-U
Unprimed	1/2"	Horizontal	117"	48"	10-2400-414-U
Unprimed	3/4"	Vertical	48"	94.5"	10-2400-648-U
Unprimed	3/4"	Vertical	48"	117.5"	10-2400-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	10-2400-684-U
Unprimed	3/4"	Horizontal	117"	48"	10-2400-614-U
Primed	1/2"	Vertical	48"	94.5"	10-2400-448-P
Primed	1/2"	Vertical	48"	117.5"	10-2400-441-P
Primed	1/2"	Horizontal	94.5"	48"	10-2400-484-P
Primed	1/2"	Horizontal	117"	48"	10-2400-414-P
Primed	3/4"	Vertical	48"	94.5"	10-2400-648-P
Primed	3/4"	Vertical	48"	117.5"	10-2400-641-P
Primed	3/4"	Horizontal	94.5"	48"	10-2400-684-P
Primed	3/4"	Horizontal	117"	48"	10-2400-614-P

2" SCALLOP





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	10-3200-448-U
Unprimed	1/2"	Vertical	48"	117.5"	10-3200-441-U
Unprimed	1/2"	Horizontal	94"	48"	10-3200-484-U
Unprimed	1/2"	Horizontal	116"	48"	10-3200-414-U
Unprimed	3/4"	Vertical	48"	94.5"	10-3200-648-U
Unprimed	3/4"	Vertical	48"	117.5"	10-3200-641-U
Unprimed	3/4"	Horizontal	94"	48"	10-3200-684-U
Unprimed	3/4"	Horizontal	116"	48"	10-3200-614-U
Primed	1/2"	Vertical	48"	94.5"	10-3200-448-P
Primed	1/2"	Vertical	48"	117.5"	10-3200-441-P
Primed	1/2"	Horizontal	94"	48"	10-3200-484-P
Primed	1/2"	Horizontal	116"	48"	10-3200-414-P
Primed	3/4"	Vertical	48"	94.5"	10-3200-648-P
Primed	3/4"	Vertical	48"	117.5"	10-3200-641-P
Primed	3/4"	Horizontal	94"	48"	10-3200-684-P
Primed	3/4"	Horizontal	116"	48"	10-3200-614-P

2.5" SCALLOP



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	47.5"	94.5"	10-4000-448-U
Unprimed	1/2"	Vertical	47.5"	117.5"	10-4000-441-U
Unprimed	1/2"	Horizontal	92.5"	48"	10-4000-484-U
Unprimed	1/2"	Horizontal	117.5"	48"	10-4000-414-U
Unprimed	3/4"	Vertical	47.5"	94.5"	10-4000-648-U
Unprimed	3/4"	Vertical	47.5"	117.5"	10-4000-641-U
Unprimed	3/4"	Horizontal	92.5"	48"	10-4000-684-U
Unprimed	3/4"	Horizontal	117.5"	48"	10-4000-614-U
Primed	1/2"	Vertical	47.5"	94.5"	10-4000-448-P
Primed	1/2"	Vertical	47.5"	117.5"	10-4000-441-P
Primed	1/2"	Horizontal	92.5"	48"	10-4000-484-P
Primed	1/2"	Horizontal	117.5"	48"	10-4000-414-P
Primed	3/4"	Vertical	47.5"	94.5"	10-4000-648-P
Primed	3/4"	Vertical	47.5"	117.5"	10-4000-641-P
Primed	3/4"	Horizontal	92.5"	48"	10-4000-684-P
Primed	3/4"	Horizontal	117.5"	48"	10-4000-614-P

3" SCALLOP





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	10-4800-448-U
Unprimed	1/2"	Vertical	48"	117.5"	10-4800-441-U
Unprimed	1/2"	Horizontal	93"	48"	10-4800-484-U
Unprimed	1/2"	Horizontal	117"	48"	10-4800-414-U
Unprimed	3/4"	Vertical	48"	94.5"	10-4800-648-U
Unprimed	3/4"	Vertical	48"	117.5"	10-4800-641-U
Unprimed	3/4"	Horizontal	93"	48"	10-4800-684-U
Unprimed	3/4"	Horizontal	117"	48"	10-4800-614-U
Primed	1/2"	Vertical	48"	94.5"	10-4800-448-P
Primed	1/2"	Vertical	48"	117.5"	10-4800-441-P
Primed	1/2"	Horizontal	93"	48"	10-4800-484-P
Primed	1/2"	Horizontal	117"	48"	10-4800-414-P
Primed	3/4"	Vertical	48"	94.5"	10-4800-648-P
Primed	3/4"	Vertical	48"	117.5"	10-4800-641-P
Primed	3/4"	Horizontal	93"	48"	10-4800-684-P
Primed	3/4"	Horizontal	117"	48"	10-4800-614-P

A close-up photograph of several layers of light-colored, textured panels. The panels are arranged in a way that creates a series of overlapping, scalloped edges. A prominent ridge runs horizontally across the center of the image, separating the top and bottom layers. The lighting is soft and even, highlighting the texture of the material.

SCALLOPED PANELS WITH RIDGE



www.panelworks.co

1" SCALLOP WITH 1/8" RIDGE




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	47.25"	94.5"	10-1602-448-U
Unprimed	1/2"	Vertical	47.25"	117.5"	10-1602-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	10-1602-484-U
Unprimed	1/2"	Horizontal	117"	48"	10-1602-414-U
Unprimed	3/4"	Vertical	47.25"	94.5"	10-1602-648-U
Unprimed	3/4"	Vertical	47.25"	117.5"	10-1602-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	10-1602-684-U
Unprimed	3/4"	Horizontal	117"	48"	10-1602-614-U
Primed	1/2"	Vertical	47.25"	94.5"	10-1602-448-P
Primed	1/2"	Vertical	47.25"	117.5"	10-1602-441-P
Primed	1/2"	Horizontal	94.5"	48"	10-1602-484-P
Primed	1/2"	Horizontal	117"	48"	10-1602-414-P
Primed	3/4"	Vertical	47.25"	94.5"	10-1602-648-P
Primed	3/4"	Vertical	47.25"	117.5"	10-1602-641-P
Primed	3/4"	Horizontal	94.5"	48"	10-1602-684-P
Primed	3/4"	Horizontal	117"	48"	10-1602-614-P

1.5" SCALLOP WITH 1/8" RIDGE




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	47.125"	94.5"	10-2402-448-U
Unprimed	1/2"	Vertical	47.125"	117.5"	10-2402-441-U
Unprimed	1/2"	Horizontal	94.25"	48"	10-2402-484-U
Unprimed	1/2"	Horizontal	117"	48"	10-2402-414-U
Unprimed	3/4"	Vertical	47.125"	94.5"	10-2402-648-U
Unprimed	3/4"	Vertical	47.125"	117.5"	10-2402-641-U
Unprimed	3/4"	Horizontal	94.25"	48"	10-2402-684-U
Unprimed	3/4"	Horizontal	117"	48"	10-2402-614-U
Primed	1/2"	Vertical	47.125"	94.5"	10-2402-448-P
Primed	1/2"	Vertical	47.125"	117.5"	10-2402-441-P
Primed	1/2"	Horizontal	94.25"	48"	10-2402-484-P
Primed	1/2"	Horizontal	117"	48"	10-2402-414-P
Primed	3/4"	Vertical	47.125"	94.5"	10-2402-648-P
Primed	3/4"	Vertical	47.125"	117.5"	10-2402-641-P
Primed	3/4"	Horizontal	94.25"	48"	10-2402-684-P
Primed	3/4"	Horizontal	117"	48"	10-2402-614-P

2" SCALLOP WITH 1/8" RIDGE





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	46.75"	94.5"	10-3202-448-U
Unprimed	1/2"	Vertical	46.75"	117.5"	10-3202-441-U
Unprimed	1/2"	Horizontal	93.5"	48"	10-3202-484-U
Unprimed	1/2"	Horizontal	116.875"	48"	10-3202-414-U
Unprimed	3/4"	Vertical	46.75"	94.5"	10-3202-648-U
Unprimed	3/4"	Vertical	46.75"	117.5"	10-3202-641-U
Unprimed	3/4"	Horizontal	93.5"	48"	10-3202-684-U
Unprimed	3/4"	Horizontal	116.875"	48"	10-3202-614-U
Primed	1/2"	Vertical	46.75"	94.5"	10-3202-448-P
Primed	1/2"	Vertical	46.75"	117.5"	10-3202-441-P
Primed	1/2"	Horizontal	93.5"	48"	10-3202-484-P
Primed	1/2"	Horizontal	116.875"	48"	10-3202-414-P
Primed	3/4"	Vertical	46.75"	94.5"	10-3202-648-P
Primed	3/4"	Vertical	46.75"	117.5"	10-3202-641-P
Primed	3/4"	Horizontal	93.5"	48"	10-3202-684-P
Primed	3/4"	Horizontal	116.875"	48"	10-3202-614-P

2.5" SCALLOP WITH 1/8" RIDGE



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	47.25"	94.5"	10-4002-448-U
Unprimed	1/2"	Vertical	47.25"	117.5"	10-4002-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	10-4002-484-U
Unprimed	1/2"	Horizontal	115.5"	48"	10-4002-414-U
Unprimed	3/4"	Vertical	47.25"	94.5"	10-4002-648-U
Unprimed	3/4"	Vertical	47.25"	117.5"	10-4002-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	10-4002-684-U
Unprimed	3/4"	Horizontal	115.5"	48"	10-4002-614-U
Primed	1/2"	Vertical	47.25"	94.5"	10-4002-448-P
Primed	1/2"	Vertical	47.25"	117.5"	10-4002-441-P
Primed	1/2"	Horizontal	94.5"	48"	10-4002-484-P
Primed	1/2"	Horizontal	115.5"	48"	10-4002-414-P
Primed	3/4"	Vertical	47.25"	94.5"	10-4002-648-P
Primed	3/4"	Vertical	47.25"	117.5"	10-4002-641-P
Primed	3/4"	Horizontal	94.5"	48"	10-4002-684-P
Primed	3/4"	Horizontal	115.5"	48"	10-4002-614-P

3" SCALLOP WITH 1/8" RIDGE





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	46.875"	94.5"	10-4802-448-U
Unprimed	1/2"	Vertical	46.875"	117.5"	10-4802-441-U
Unprimed	1/2"	Horizontal	93.75"	48"	10-4802-484-U
Unprimed	1/2"	Horizontal	115.625"	48"	10-4802-414-U
Unprimed	3/4"	Vertical	46.875"	94.5"	10-4802-648-U
Unprimed	3/4"	Vertical	46.875"	117.5"	10-4802-641-U
Unprimed	3/4"	Horizontal	93.75"	48"	10-4802-684-U
Unprimed	3/4"	Horizontal	115.625"	48"	10-4802-614-U
Primed	1/2"	Vertical	46.875"	94.5"	10-4802-448-P
Primed	1/2"	Vertical	46.875"	117.5"	10-4802-441-P
Primed	1/2"	Horizontal	93.75"	48"	10-4802-484-P
Primed	1/2"	Horizontal	115.625"	48"	10-4802-414-P
Primed	3/4"	Vertical	46.875"	94.5"	10-4802-648-P
Primed	3/4"	Vertical	46.875"	117.5"	10-4802-641-P
Primed	3/4"	Horizontal	93.75"	48"	10-4802-684-P
Primed	3/4"	Horizontal	115.625"	48"	10-4802-614-P



REEDED PANELS



www.panelworks.co

3/4" REED





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	20-1200-448-U
Unprimed	1/2"	Vertical	48"	117.5"	20-1200-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	20-1200-484-U
Unprimed	1/2"	Horizontal	117"	48"	20-1200-414-U
Unprimed	3/4"	Vertical	48"	94.5"	20-1200-648-U
Unprimed	3/4"	Vertical	48"	117.5"	20-1200-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	20-1200-684-U
Unprimed	3/4"	Horizontal	117"	48"	20-1200-614-U
Primed	1/2"	Vertical	48"	94.5"	20-1200-448-P
Primed	1/2"	Vertical	48"	117.5"	20-1200-441-P
Primed	1/2"	Horizontal	94.5"	48"	20-1200-484-P
Primed	1/2"	Horizontal	117"	48"	20-1200-414-P
Primed	3/4"	Vertical	48"	94.5"	20-1200-648-P
Primed	3/4"	Vertical	48"	117.5"	20-1200-641-P
Primed	3/4"	Horizontal	94.5"	48"	20-1200-684-P
Primed	3/4"	Horizontal	117"	48"	20-1200-614-P

1" REED





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	48"	94.5"	20-1600-648-U
Unprimed	3/4"	Vertical	48"	117.5"	20-1600-641-U
Unprimed	3/4"	Horizontal	94"	48"	20-1600-684-U
Unprimed	3/4"	Horizontal	117"	48"	20-1600-614-U
Primed	3/4"	Vertical	48"	94.5"	20-1600-648-P
Primed	3/4"	Vertical	48"	117.5"	20-1600-641-P
Primed	3/4"	Horizontal	94"	48"	20-1600-684-P
Primed	3/4"	Horizontal	117"	48"	20-1600-614-P

1.25" REED





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	47.5"	94.5"	20-2000-648-U
Unprimed	3/4"	Vertical	47.5"	117.5"	20-2000-641-U
Unprimed	3/4"	Horizontal	93.75"	48"	20-2000-684-U
Unprimed	3/4"	Horizontal	117.5"	48"	20-2000-614-U
Primed	3/4"	Vertical	47.5"	94.5"	20-2000-648-P
Primed	3/4"	Vertical	47.5"	117.5"	20-2000-641-P
Primed	3/4"	Horizontal	93.75"	48"	20-2000-684-P
Primed	3/4"	Horizontal	117.5"	48"	20-2000-614-P

1/2" REED WITH 1/4 " FLAT



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	20-0804-448-U
Unprimed	1/2"	Vertical	48"	117.5"	20-0804-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	20-0804-484-U
Unprimed	1/2"	Horizontal	117"	48"	20-0804-414-U
Unprimed	3/4"	Vertical	48"	94.5"	20-0804-648-U
Unprimed	3/4"	Vertical	48"	117.5"	20-0804-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	20-0804-684-U
Unprimed	3/4"	Horizontal	117"	48"	20-0804-614-U
Primed	1/2"	Vertical	48"	94.5"	20-0804-448-P
Primed	1/2"	Vertical	48"	117.5"	20-0804-441-P
Primed	1/2"	Horizontal	94.5"	48"	20-0804-484-P
Primed	1/2"	Horizontal	117"	48"	20-0804-414-P
Primed	3/4"	Vertical	48"	94.5"	20-0804-648-P
Primed	3/4"	Vertical	48"	117.5"	20-0804-641-P
Primed	3/4"	Horizontal	94.5"	48"	20-0804-684-P
Primed	3/4"	Horizontal	117"	48"	20-0804-614-P

3/4" REED WITH 1/4" FLAT





Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	20-1204-448-U
Unprimed	1/2"	Vertical	48"	117.5"	20-1204-441-U
Unprimed	1/2"	Horizontal	94"	48"	20-1204-484-U
Unprimed	1/2"	Horizontal	117"	48"	20-1204-414-U
Unprimed	3/4"	Vertical	48"	94.5"	20-1204-648-U
Unprimed	3/4"	Vertical	48"	117.5"	20-1204-641-U
Unprimed	3/4"	Horizontal	94"	48"	20-1204-684-U
Unprimed	3/4"	Horizontal	117"	48"	20-1204-614-U
Primed	1/2"	Vertical	48"	94.5"	20-1204-448-P
Primed	1/2"	Vertical	48"	117.5"	20-1204-441-P
Primed	1/2"	Horizontal	94"	48"	20-1204-484-P
Primed	1/2"	Horizontal	117"	48"	20-1204-414-P
Primed	3/4"	Vertical	48"	94.5"	20-1204-648-P
Primed	3/4"	Vertical	48"	117.5"	20-1204-641-P
Primed	3/4"	Horizontal	94"	48"	20-1204-684-P
Primed	3/4"	Horizontal	117"	48"	20-1204-614-P

A close-up, low-angle shot of several layers of light brown, corrugated panels. The panels are stacked and offset, creating a strong sense of depth and geometric pattern. The lighting highlights the ridges and grooves, casting soft shadows. The background is a solid dark grey.


GROOVED PANELS

3/8" GROOVE WITH 3/8" RIDGE




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	32-0606-448-U
Unprimed	1/2"	Vertical	48"	117.5"	32-0606-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	32-0606-484-U
Unprimed	1/2"	Horizontal	117"	48"	32-0606-414-U
Unprimed	3/4"	Vertical	48"	94.5"	32-0606-648-U
Unprimed	3/4"	Vertical	48"	117.5"	32-0606-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	32-0606-684-U
Unprimed	3/4"	Horizontal	117"	48"	32-0606-614-U
Primed	1/2"	Vertical	48"	94.5"	32-0606-448-P
Primed	1/2"	Vertical	48"	117.5"	32-0606-441-P
Primed	1/2"	Horizontal	94.5"	48"	32-0606-484-P
Primed	1/2"	Horizontal	117"	48"	32-0606-414-P
Primed	3/4"	Vertical	48"	94.5"	32-0606-648-P
Primed	3/4"	Vertical	48"	117.5"	32-0606-641-P
Primed	3/4"	Horizontal	94.5"	48"	32-0606-684-P
Primed	3/4"	Horizontal	117"	48"	32-0606-614-P

1/2" GROOVE WITH 1/2" RIDGE



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	32-0808-448-U
Unprimed	1/2"	Vertical	48"	117.5"	32-0808-441-U
Unprimed	1/2"	Horizontal	94"	48"	32-0808-484-U
Unprimed	1/2"	Horizontal	117"	48"	32-0808-414-U
Unprimed	3/4"	Vertical	48"	94.5"	32-0808-648-U
Unprimed	3/4"	Vertical	48"	117.5"	32-0808-641-U
Unprimed	3/4"	Horizontal	94"	48"	32-0808-684-U
Unprimed	3/4"	Horizontal	117"	48"	32-0808-614-U
Primed	1/2"	Vertical	48"	94.5"	32-0808-448-P
Primed	1/2"	Vertical	48"	117.5"	32-0808-441-P
Primed	1/2"	Horizontal	94"	48"	32-0808-484-P
Primed	1/2"	Horizontal	117"	48"	32-0808-414-P
Primed	3/4"	Vertical	48"	94.5"	32-0808-648-P
Primed	3/4"	Vertical	48"	117.5"	32-0808-641-P
Primed	3/4"	Horizontal	94"	48"	32-0808-684-P
Primed	3/4"	Horizontal	117"	48"	32-0808-614-P

3/4" GROOVE WITH 3/4" RIDGE




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	32-1212-448-U
Unprimed	1/2"	Vertical	48"	117.5"	32-1212-441-U
Unprimed	1/2"	Horizontal	94.5"	48"	32-1212-484-U
Unprimed	1/2"	Horizontal	117"	48"	32-1212-414-U
Unprimed	3/4"	Vertical	48"	94.5"	32-1212-648-U
Unprimed	3/4"	Vertical	48"	117.5"	32-1212-641-U
Unprimed	3/4"	Horizontal	94.5"	48"	32-1212-684-U
Unprimed	3/4"	Horizontal	117"	48"	32-1212-614-U
Primed	1/2"	Vertical	48"	94.5"	32-1212-448-P
Primed	1/2"	Vertical	48"	117.5"	32-1212-441-P
Primed	1/2"	Horizontal	94.5"	48"	32-1212-484-P
Primed	1/2"	Horizontal	117"	48"	32-1212-414-P
Primed	3/4"	Vertical	48"	94.5"	32-1212-648-P
Primed	3/4"	Vertical	48"	117.5"	32-1212-641-P
Primed	3/4"	Horizontal	94.5"	48"	32-1212-684-P
Primed	3/4"	Horizontal	117"	48"	32-1212-614-P

A close-up photograph of a wall or ceiling covered in v-grooved panels. The panels are arranged in a grid pattern, with the grooves creating a series of vertical and horizontal lines. The lighting is warm and directional, coming from the upper left, which casts soft shadows and highlights the texture of the material, likely a composite or wood-based panel. The overall color palette is a range of browns, from light tan to dark chocolate and near-black tones in the shadows.

V-GROOVED PANELS


www.panelworks.co

V GROOVE 90, 1/2" GROOVE, 3" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	43-0840-448-U
Unprimed	1/2"	Vertical	48"	117.5"	43-0840-441-U
Unprimed	1/2"	Horizontal	93"	48"	43-0840-484-U
Unprimed	1/2"	Horizontal	117"	48"	43-0840-414-U
Unprimed	3/4"	Vertical	48"	94.5"	43-0840-648-U
Unprimed	3/4"	Vertical	48"	117.5"	43-0840-641-U
Unprimed	3/4"	Horizontal	93"	48"	43-0840-684-U
Unprimed	3/4"	Horizontal	117"	48"	43-0840-614-U
Primed	1/2"	Vertical	48"	94.5"	43-0840-448-P
Primed	1/2"	Vertical	48"	117.5"	43-0840-441-P
Primed	1/2"	Horizontal	93"	48"	43-0840-484-P
Primed	1/2"	Horizontal	117"	48"	43-0840-414-P
Primed	3/4"	Vertical	48"	94.5"	43-0840-648-P
Primed	3/4"	Vertical	48"	117.5"	43-0840-641-P
Primed	3/4"	Horizontal	93"	48"	43-0840-684-P
Primed	3/4"	Horizontal	117"	48"	43-0840-614-P

V GROOVE 90, 1/2" GROOVE, 5" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	45"	94.5"	43-0872-448-U
Unprimed	1/2"	Vertical	45"	117.5"	43-0872-441-U
Unprimed	1/2"	Horizontal	90"	48"	43-0872-484-U
Unprimed	1/2"	Horizontal	115"	48"	43-0872-414-U
Unprimed	3/4"	Vertical	45"	94.5"	43-0872-648-U
Unprimed	3/4"	Vertical	45"	117.5"	43-0872-641-U
Unprimed	3/4"	Horizontal	90"	48"	43-0872-684-U
Unprimed	3/4"	Horizontal	115"	48"	43-0872-614-U
Primed	1/2"	Vertical	45"	94.5"	43-0872-448-P
Primed	1/2"	Vertical	45"	117.5"	43-0872-441-P
Primed	1/2"	Horizontal	90"	48"	43-0872-484-P
Primed	1/2"	Horizontal	115"	48"	43-0872-414-P
Primed	3/4"	Vertical	45"	94.5"	43-0872-648-P
Primed	3/4"	Vertical	45"	117.5"	43-0872-641-P
Primed	3/4"	Horizontal	90"	48"	43-0872-684-P
Primed	3/4"	Horizontal	115"	48"	43-0872-614-P

V GROOVE 90, 1" GROOVE, 3" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	48"	94.5"	43-1632-648-U
Unprimed	3/4"	Vertical	48"	117.5"	43-1632-641-U
Unprimed	3/4"	Horizontal	93"	48"	43-1632-684-U
Unprimed	3/4"	Horizontal	117"	48"	43-1632-614-U
Primed	3/4"	Vertical	48"	94.5"	43-1632-648-P
Primed	3/4"	Vertical	48"	117.5"	43-1632-641-P
Primed	3/4"	Horizontal	93"	48"	43-1632-684-P
Primed	3/4"	Horizontal	117"	48"	43-1632-614-P

V GROOVE 90, 1" GROOVE, 5" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	45"	94.5"	43-1664-648-U
Unprimed	3/4"	Vertical	45"	117.5"	43-1664-641-U
Unprimed	3/4"	Horizontal	90"	48"	43-1664-684-U
Unprimed	3/4"	Horizontal	115"	48"	43-1664-614-U
Primed	3/4"	Vertical	45"	94.5"	43-1664-648-P
Primed	3/4"	Vertical	45"	117.5"	43-1664-641-P
Primed	3/4"	Horizontal	90"	48"	43-1664-684-P
Primed	3/4"	Horizontal	115"	48"	43-1664-614-P

V GROOVE 120, 1" GROOVE, 3" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	48"	94.5"	45-1632-448-U
Unprimed	1/2"	Vertical	48"	117.5"	45-1632-441-U
Unprimed	1/2"	Horizontal	93"	48"	45-1632-484-U
Unprimed	1/2"	Horizontal	117"	48"	45-1632-414-U
Unprimed	3/4"	Vertical	48"	94.5"	45-1632-648-U
Unprimed	3/4"	Vertical	48"	117.5"	45-1632-641-U
Unprimed	3/4"	Horizontal	93"	48"	45-1632-684-U
Unprimed	3/4"	Horizontal	117"	48"	45-1632-614-U
Primed	1/2"	Vertical	48"	94.5"	45-1632-448-P
Primed	1/2"	Vertical	48"	117.5"	45-1632-441-P
Primed	1/2"	Horizontal	93"	48"	45-1632-484-P
Primed	1/2"	Horizontal	117"	48"	45-1632-414-P
Primed	3/4"	Vertical	48"	94.5"	45-1632-648-P
Primed	3/4"	Vertical	48"	117.5"	45-1632-641-P
Primed	3/4"	Horizontal	93"	48"	45-1632-684-P
Primed	3/4"	Horizontal	117"	48"	45-1632-614-P

V GROOVE 120, 1" GROOVE, 5" TO CENTER




Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	1/2"	Vertical	45"	94.5"	45-1664-448-U
Unprimed	1/2"	Vertical	45"	117.5"	45-1664-441-U
Unprimed	1/2"	Horizontal	90"	48"	45-1664-484-U
Unprimed	1/2"	Horizontal	115"	48"	45-1664-414-U
Unprimed	3/4"	Vertical	45"	94.5"	45-1664-648-U
Unprimed	3/4"	Vertical	45"	117.5"	45-1664-641-U
Unprimed	3/4"	Horizontal	90"	48"	45-1664-684-U
Unprimed	3/4"	Horizontal	115"	48"	45-1664-614-U
Primed	1/2"	Vertical	45"	94.5"	45-1664-448-P
Primed	1/2"	Vertical	45"	117.5"	45-1664-441-P
Primed	1/2"	Horizontal	90"	48"	45-1664-484-P
Primed	1/2"	Horizontal	115"	48"	45-1664-414-P
Primed	3/4"	Vertical	45"	94.5"	45-1664-648-P
Primed	3/4"	Vertical	45"	117.5"	45-1664-641-P
Primed	3/4"	Horizontal	90"	48"	45-1664-684-P
Primed	3/4"	Horizontal	115"	48"	45-1664-614-P

V GROOVE 120, 2" GROOVE, 3" TO CENTER



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	48"	94.5"	45-3216-648-U
Unprimed	3/4"	Vertical	48"	117.5"	45-3216-641-U
Unprimed	3/4"	Horizontal	93"	48"	45-3216-684-U
Unprimed	3/4"	Horizontal	117"	48"	45-3216-614-U
Primed	3/4"	Vertical	48"	94.5"	45-3216-648-P
Primed	3/4"	Vertical	48"	117.5"	45-3216-641-P
Primed	3/4"	Horizontal	93"	48"	45-3216-684-P
Primed	3/4"	Horizontal	117"	48"	45-3216-614-P

V GROOVE 120, 2" GROOVE, 5" TO CENTER



Finish	Thickness	Orientation	Width	Length	SKU
Unprimed	3/4"	Vertical	45"	94.5"	45-3248-648-U
Unprimed	3/4"	Vertical	45"	117.5"	45-3248-641-U
Unprimed	3/4"	Horizontal	90"	48"	45-3248-684-U
Unprimed	3/4"	Horizontal	115"	48"	45-3248-614-U
Primed	3/4"	Vertical	45"	94.5"	45-3248-648-P
Primed	3/4"	Vertical	45"	117.5"	45-3248-641-P
Primed	3/4"	Horizontal	90"	48"	45-3248-684-P
Primed	3/4"	Horizontal	115"	48"	45-3248-614-P



Panelworks



Get in touch:

Sales@Panelworks.co

[\(888\)797-4706](tel:(888)797-4706)

www.panelworks.co